

Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: AZ 300 MIF Developer

Material No.

: 18441123163

Product Use Description

: Intermediate for electronic industry

Company

: AZ Electronic Materials USA Corp.

70 Meister Ave.

Somerville, NJ 08876

Telephone

: 1-908-429-3562

Telefax

: 1-908-429-5982

Emergency telephone number : 1-800-424-9300 (CHEMTREC)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

: SEVERE EYE IRRITANT

MODERATE SKIN IRRITANT

GHS Classification

Signal word

: Warning

Hazard category, Hazard

Hazard category, Hazard

class

Hazard category, Hazard

class

Hazard category, Hazard

class

Acute toxicity, Category 4, Oral

Skin corrosion/irritation, Category 2

Eye irritation, Category 2A

: Corrosive to metals, Category 1

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Component	CAS-No.	Weight percent



SAFETY DATA SHEET

AZ 300 MIF Developer

Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

Tetramethylammonium hydroxide 75-59-2 < 3

Non-hazardous ingredients

Component	CAS-No.	Weight percent
Water	7732-18-5	> 95

SECTION 4. FIRST AID MEASURES

First aid procedures

General advice

: Remove soiled or soaked clothing immediately

If someone exposed to the product feels unwell, contact a

doctor and show this safety data sheet.

Adhere to personal protective measures when giving first aid

Inhalation

: If inhaled, remove to fresh air. Keep respiratory tract clear. If breathing is difficult, give oxygen. Get medical attention if

irritation develops and persists.

Skin contact

: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical

attention if irritation develops and persists. Wash

contaminated clothing before reuse.

Eye contact

: Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician. Remove contact lenses.

Ingestion

: Never give anything by mouth to an unconscious person. If person is conscious, give water or milk to dilute stomach

contents. Do not induce vomiting. Keep patient at rest and

obtain immediate medical assistance

SECTION 5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point

: Water-based material with low level of combustible solid

content.

Fire fighting

Suitable extinguishing media

: Product itself is non-combustible; Fire extinguishing method of

surrounding areas must be discussed.



Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

Further information

: The product itself does not burn.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Protective equipment and precautions for firefighters

for fire-fighters

Special protective equipment : Well closed full protective clothing (coat and pants) including

helmet.

Wear self contained breathing apparatus for fire fighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Do not allow contact with soil, surface or ground water.

Prevent spreading by use of suitable barriers.

Local authorities should be advised if significant spillages

cannot be contained.

Methods for containment /

Methods for cleaning up

: Wearing appropriate personal protective equipment, contain

spill, ventilate area of spill or leak. Collect onto inert

absorbent. Place in suitable container.

SECTION 7. HANDLING AND STORAGE

Handling

Handling

: Use only in area provided with appropriate exhaust ventilation.

Wear personal protective equipment. Avoid inhalation of vapour or mist.

Storage

Further information on

storage conditions

: Keep containers tightly closed in a dry, cool and well-

ventilated place.

Protect from frost, heat and sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Contains no substances with occupational exposure limit values.

Engineering measures



Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

Engineering measures

: Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Eye protection

: Safety eyewear to protect against splashes.

Hand protection

: Rubber gloves

Skin and body protection

: Clothing suitable to prevent skin contact.

Respiratory protection

: Breathing apparatus needed only when aerosol or mist is

formed.

Use NIOSH approved respiratory protection.

Hygiene measures

: Observe the usual precautions when handling chemicals.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state

: liquid

Color

: clear

colourless

Odor

: odourless

Safety data

Flash point

: Water-based material with low level of combustible solid

content.

Freezing point

: approx. 32 °F (0 °C)

Boiling point

: approx. 212 °F (100 °C)

Vapour pressure

: 17.5 Torr

at 68 °F (20 °C)

Corresp. to vapour pressure of water

Density

: approx.1 g/cm3

Loss on drying

: > 95 %



Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid

: Freezing conditions and high temperatures

Avoid contact with strong acids. Avoid contact with alkaline materials. Avoid contact with oxidizing agents.

Hazardous decomposition

products

: No hazardous decomposition products known.

Hazardous reactions

: Hazardous polymerisation does not occur.

Note: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Data for AZ 300 MIF Developer

Further information

: No toxicological testing was carried out on the preparation.

Data for 25% Tetramethylammonium hydroxide solution (75-59-2)

Acute oral toxicity

: LD50: 136 mg/kg

Species: rat

Acute dermal toxicity

: LD50: 25 mg/kg

Species: rat

Acute toxicity (other routes of : LDLo: 19 mg/kg

administration)

Application Route: subcutaneous

Species: Mouse

Skin irritation

: Result: Severe skin irritation

Classification: Causes burns.

Eye irritation

: Result: strongly corrosive

Classification: Corrosive

Further information

: Causes severe burns



Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

12. ECOLOGICAL INFORMATION

Data for AZ 300 MIF Developer

Additional ecological

information

: No ecological testing was carried out on the preparation.

Data for 25% Tetramethylammonium hydroxide solution (75-59-2)

Ecotoxicity effects

Toxicity to daphnia and other : EC50: 55.6 mg/l

aquatic invertebrates.

Exposure time: 48 h

Species: Daphnia magna

Toxicity to algae

: EC50: 1,000 mg/l

Exposure time: 72 h

Species: Scenedesmus subspicatus

Method: OECD 201

Elimination information (persistence and degradability)

Biodegradability

: Result: Readily biodegradable.

Method: Tested according to Directive 92/69/EEC.

Additional ecological

information

: Do not allow to enter soil, waterways or waste water

SECTION 13. DISPOSAL CONSIDERATIONS

Further information

: Dispose of as special waste in compliance with local and

national regulations.

This product would be considered a hazardous waste under RCRA due to high pH unless neutralized prior to disposal.

Contaminated packaging

: Empty containers should be taken to local recyclers for

disposal.

RCRA hazardous waste

: RCRA number: D002

Yes -- If it becomes a waste as sold.



Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

SECTION 14. TRANSPORT INFORMATION

DOT

Not restricted

IATA

UN number

: 1835

Description of the goods

: Tetramethylammonium hydroxide, solution

Class

8

Packing group

: !!!

Labels

: 8

Environmentally hazardous

: no

Additional data for transport

: PASSENGER AIRCRAFT SHIPMENT OF CONTAINERS

>2.5L NOT PERMITTED. CARGO AIRCRAFT ONLY!,

CARGO AIRCRAFT SHIPMENT OF CONTAINERS >5L NOT

PERMITTED.

IMDG

UN number

: 1835

Description of the goods

: TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION

Class

: 8

Packing group

: 111

Labels

: 8

EmS Number 1 EmS Number 2 : F-A : S-B

Marine pollutant

: no

Environmentally hazardous

: no

SECTION 15. REGULATORY INFORMATION

Notification status

US.TSCA

: All components of this product are listed on the TSCA

Inventory.

DSL

: All components of this product are on the Canadian DSL list.

WHMIS Classification

: E: Corrosive Material

Canadian PBT Chemicals

: This product does not contain any components on the DSL that

are classified as Persistent, Bioaccumulative and Toxic (PBT)

under CEPA.



Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

CERCLA Reportable

Quantity

This material does not contain any components with a CERCLA RQ.

<u>Carcinogenicity</u>

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by ACGIH.

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Reportable

Quantity

: SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 304 Extremely

Hazardous Substances

: This material does not contain any components with a section

304 EHS RQ.

SARA 313: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion

Potential

This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air

Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

US. Clean Air Act - Hazardous Air Pollutants (HAP)

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

US. Clean Air Act Section 112(r); Regulated toxic and flammable substances for Accidental Release Prevention - 40 CFR 68.130 (subpart F)

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

US. Clean Air Act Section 111 SOCMI Intermediate or Final Volatile Organic Compunds (VOC) - 40 CFR part 60.489

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know Components

: No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know Components

: Water

7732-18-5

New Jersey Right To Know Components : Tetramethylammonium hydroxide

75-59-2

Water

7732-18-5

SECTION 16. OTHER INFORMATION

Further information

HMIS Classification

: Health hazard: 2

Flammability: 0
Reactivity: 0

PPE:X




Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

NFPA Classification

: Health hazard; 2 Fire Hazard: 0 Reactivity Hazard: 0 Special Hazards: NONE



GHS-Labelling

Symbol(s)

Signal word

Warning

Hazard statements

May be corrosive to metals.
Harmful if swallowed.
Causes skin irritation.

Causes serious eye irritation.

Precautionary statements

Prevention:

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product. Wear protective gloves/ eye protection/ face protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or

doctor/ physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Storage:

Store in a well-ventilated place. Keep cool.

Store in a closed container.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.



Substance No.: GHSBBG70N4

Version 2.4

Revision Date 12/09/2011 Print Date 01/06/2012

The tetramethylammonium ion (TMA), as TMAH, in this developer is toxic at low levels to the water flea ceriodaphnia dubia (CD) used in the whole effluent toxicity (WET) biomonitoring test. Data from the supplier suggests that continuous input of 60-100 ppm TMA to a small POTW should not cause WET toxicity. It is expected that discharges to a sizable POTW will not affect the ability to pass the WET tests. However, discharges to a small POTW or direct discharges to surface waters should be carefully reviewed. Contact AZ Electronic Materials Product Safety for additional information (908-429-3562 or 908-429-3586).

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

AZ Is a Trademark or a registered trademark and the AZ logo is a registered trademark of AZ. (R) and TM indicate trademarks of AZ Electronic Materials USA Corp., its business partners and suppliers.